

IN THE CLAIMS

1. (original) A prosthetic implant for surgical  
implantation in a hand of a patient comprising an elongate  
flexible member for passing snugly around a surgically exposed  
bone of the hand, the elongate flexible member having first and  
5 second end portions at opposite ends thereof, the first end  
portion of the elongate flexible member being provided with slot  
defining means defining a slot for receipt of the second end  
portion of the elongate flexible member, and locking means to  
secure the second end portion to the first end portion after  
10 insertion of the second end portion in the slot.

2. (original) A prosthetic implant according to claim 1,  
wherein the second end portion is substantially rectangular in  
cross section and wherein the slot defining means comprises a  
sleeve portion defining a substantially rectangular slot for  
5 receipt of the second end portion.

3. (original) A prosthetic implant according to claim 1,  
wherein the second end portion is substantially rectangular in  
cross section and wherein the slot defining means comprises a  
sleeve portion defining an open topped slot for receipt of the  
5 second end portion.

4. (original) A prosthetic implant according to claim 1,  
wherein the second end portion is substantially rectangular in  
cross section and wherein the slot defining means comprises a  
sleeve portion defining a substantially C-section slot for  
5 receipt of the second end portion.

5. (currently amended) A prosthetic implant according to  
[any one of claims] claim 1 [to 4], wherein the slot has an axis  
which is aligned substantially parallel to the axis of the first  
end portion.

6. (currently amended) A prosthetic implant according to [any one of claims] claim 1 [to 4], wherein the slot has an axis which is aligned substantially perpendicular to the axis of the first end portion.

7. (currently amended) A prosthetic implant according to [any one of claims] claim 1 [to 6], wherein the elongate flexible member has a bone-contacting surface which is adapted to contact a bone of a hand of a patient to which the prosthetic implant is to be secured and which is roughened to improve the gripping  
5 action of the elongate flexible member on the bone.

8. (original) A prosthetic implant according to claim 7, wherein the bone-contacting surface of the flexible elongate member is provided with spikes or ridges to relieve uniform pressure on the bone to which it is to be attached and to improve  
5 the grip of the elongate flexible member on the bone.

9. (currently amended) A prosthetic implant according to [any one of claims] claim 1 [to 8], wherein there is further provided a flexor tendon support means adapted upon implantation thereof in a hand of a patient around a metacarpal bone thereof  
5 to pass under the ulnar side of the flexor tendons of the corresponding finger of the patient.

10. (original) A prosthetic implant according to claim 9, wherein the flexor tendon support means comprises a hook-shaped appendage attached to the elongate flexible member and adapted for passing around the ulnar side of the flexor tendons of the  
5 finger, the hook-shaped appendage having an axis extending substantially in the plane of the axis of the flexible elongate member.

11. (original) A prosthetic implant according to claim 9,  
wherein the flexor tendon support means comprises a band attached  
at one end thereof to the elongate flexible member and adapted to  
pass on the ulnar side of the flexor tendons of the finger and  
5 wherein the slot defining means further defines a second slot to  
receive a free end portion of the band at the opposite end from  
the one end thereof, the band having an axis which is  
substantially parallel to the axis of the elongate flexible  
member.

12. (currently amended) A prosthetic implant according to  
[any one of claims] claim 9 [to 11], wherein the flexor tendon  
support means is integrally formed with the strap.

13. (currently amended) A prosthetic implant according to  
[any one of claims] claim 1 [to 8], wherein the elongate flexible  
member comprises a saddle shaped portion provided with a bearing  
surface adapted upon implantation of the prosthetic implant in  
5 the hand of a patient to underlie the flexor tendons of the  
finger on the ulnar side thereof, and first and second strap  
portions integrally formed with the saddle shaped portion and  
disposed so that the first strap portion extends from the saddle  
shaped portion on one side of the bearing surface and the second  
10 portion extends substantially in alignment with the first strap  
portion from the saddle shaped portion on the other side of the  
bearing surface.

14. (original) A prosthetic implant according to claim 13,  
wherein the slot defining means comprises a bridge portion  
integrally formed with the first strap portion and defining a  
substantially rectangular slot and wherein the second strap  
5 portion is of substantially rectangular cross section and adapted  
for reception in the substantially rectangular slot.

15. (original) A prosthetic implant according to claim 13, wherein the slot defining means comprises a pair of cantilever portions defining with the first strap portion a substantially C-shaped section providing a slot for reception of the second strap portion and wherein the second strap portion is substantially of rectangular cross section and adapted for reception in the slot.

16. (currently amended) A prosthetic implant according to [any one of claims] claim 13 [to 15], wherein ribs are provided on each of the first and second strap portions adjacent the saddle shaped portion and adapted for contacting the patient's metacarpal bone so as to space the bearing surface therefrom and facilitate blood supply to the periosteum.

17. (currently amended) A prosthetic implant according to [any one of claims] claim 13 [to 16], wherein the first strap portion is provided on a side thereof corresponding to the bearing surface with a plurality of grooves which separate corresponding lands one from another.

18. (currently amended) A prosthetic implant according to [any one of claims] claim 1 [to 17], wherein the locking means comprises a series of teeth provided on the second strap portion and a corresponding series of teeth on the inside of the slot adapted to engage with the teeth on the second strap portion.

19. (currently amended) A prosthetic implant according to [any one of claims] claim 1 [to 17], wherein the locking means comprises a plug adapted for passage through a bore made in overlapping ends of the first and second strap portions and extending substantially transversely into the patient's metacarpal bone.

20. (original) A prosthetic implant according to claim 19, wherein the plug has a snap fit end for engagement in the bore in the patient's metacarpal bone.

21. (currently amended) A prosthetic implant according to [any one of claims] claim 1 [to 20], wherein the elongate flexible member is adapted for passing snugly around a surgically exposed metacarpal bone of the hand and wherein the implant  
5 further includes a secondary member adapted for engagement with a corresponding phalangeal bone of the hand and flexibly connected to the elongate flexible member.

22. (original) A prosthetic implant according to claim 21, wherein the secondary member comprises a further elongate flexible member adapted for passing snugly round the phalangeal bone, the further elongate flexible member having third and  
5 fourth end portions at opposite ends thereof, the third end portion of the further elongate flexible member being provided with second slot defining means defining a second slot for receipt of the fourth end portion of the further elongate flexible member, and second locking means to secure the fourth  
10 end portion to the third end portion after insertion of the fourth end portion in the slot.

23. (original) A prosthetic implant according to claim 22, wherein the elongate flexible member which is adapted for passing snugly around the surgically exposed metacarpal bone of the hand and is connected by spring means to the secondary member which is  
5 adapted for engagement with a corresponding phalangeal bone of the hand.

24. (currently amended) A prosthetic implant according to  
[any one of claims] claim 1 [to 20], wherein the elongate  
flexible member is adapted for passing snugly around a surgically  
exposed metacarpal bone of the hand and wherein the implant  
5 further includes flexible attachment means flexibly connected to  
the elongate flexible member and adapted for securement to a  
corresponding phalangeal bone of the hand.

25. (original) A prosthetic implant according to claim 24,  
wherein the flexible attachment means is adapted for securement  
to the phalangeal bone by means of pins, staples, or adhesive.

26. (currently amended) A prosthetic implant according to  
[any one of claims] claim 1 [to 20], wherein the elongate  
flexible member is adapted for passing snugly around a surgically  
exposed metacarpal bone of the hand and is provided with a  
5 lateral hook-shaped member whose free end is adapted for  
insertion in a surgically prepared cavity in the metacarpal bone  
intended for receipt of a metacarpal part of a total metacarpal  
phalangeal joint replacement.

27. (currently amended) A sterilised package containing a  
prosthetic implant according to [any one of claims] claim 1 [to  
26].